



SKYDEN
ALUMINUM SYSTEM RAILING

THE WIDE RANGE OF
ALUMINUM GLASS SYSTEM RAILING



—

THE LANGUAGE OF LUXURY

—

When it comes to aesthetics we believe there's no limit to the human imagination and creativity. A lot is there waiting to be explored and tried in the realms of design. We want to create and construct aesthetically pleasing architectural marvels and set the tone for different and elegant future designs.

Creativity when joins hands with the joy of exploration it gives wings to a designer's imagination, you might get in awe with the results attained by doing this.

Yes, We know The Language of Luxury.



ABOUT US

We always strive to be the fore front runner in delivering aesthetically pleasing architectural metal and glass marvels in the form of elegant yet sturdy railing designs and accessories, at par with the international standards.

We have established our brand name synonymous with reliability and supreme quality. We attain this benchmark by adhering to our stringent quality check process that complies with the international standards of railing designs and product quality. You will get the finest quality railing designs and accessories from us.

Our in-house design team explores innovations and studies recent global trends to always be in-the-know of what new can be done and what's next on the horizon. All of this is possible with the help of our well-qualified engineers and professionals so that our valuable clients always get the quality products and services from us.


VISION

We aspire to set benchmarks in the railing designs, quality, and deliverables.

Quality assurance merged with the latest technology and trusted experience of our professionals reflects in our products and the very fabric and culture of our organization.



SD 01



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed Side
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm to 1752mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft. 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 02



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft.



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 02B



TYPE : Bracket with Side Cap System

USE : Indoor & Outdoor

MOUNT : Top

MATERIAL : Aluminium Alloy 6063 - T6

GLASS HEIGHT : 970mm (max)

GLASS THICKNESS : 12mm

FINISH : Powder Coat | Wood Coat

LENGTH : 65mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 03



TYPE : Bracket with Cover System

USE : Indoor & Outdoor

MOUNT : Top

MATERIAL : Aluminium Alloy 6063 - T6

GLASS HEIGHT : 970mm (max)

GLASS THICKNESS : 12mm

FINISH : Powder Coat | Wood Coat

LENGTH : 12ft | 16ft.



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 04



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 05



TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	65mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 06



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 07



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm to 17.52mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 08



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 09



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE



 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



SD 10



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970 (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 11



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Side Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm to 19mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 11B



TYPE : Bracket with Side Cap System

USE : Indoor & Outdoor

MOUNT : Top

MATERIAL : Aluminium Alloy 6063 - T6

GLASS HEIGHT : 1100mm (max)

GLASS THICKNESS : 12mm to 15.52mm

FINISH : Powder Coat | Wood Coat

LENGTH : 70mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 12



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970 (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 13



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 14



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 15



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF




CORROSION RESISTANCE




SD 16



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



SD 16B



TYPE :	Bracket with Side Cap
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	65mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE




SD 17



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm to 15.52mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



SD 18



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed Side
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm to 17.52mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 19



TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	900mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	57mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 20



TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	50mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 21



TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	65mm/pcs

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



SD 22



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF




CORROSION RESISTANCE



SD 23



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft


-  EASY INSTALLATION
-  EASY CLEANING

-  MAINTENANCE FREE
-  100% RECYCLABLE

-  WEATHER PROOF
-  CORROSION RESISTANCE




SD 24




TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	60mm/pcs

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



SD 25



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 26




TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm to 15.52mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft





SD 27



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	19mm to 25.5mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



SD 28




TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	900mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft






SD 29



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm to 17.52mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft


-  EASY INSTALLATION
-  EASY CLEANING

-  MAINTENANCE FREE
-  100% RECYCLABLE

-  WEATHER PROOF
-  CORROSION RESISTANCE



SD 30



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	900mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE



 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



SD 31



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm to 13.52mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 31B



TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	65mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE




SD 32




TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm to 13.52mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE




SD 33




TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm to 13.52mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



SD 34



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm to 17.52mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 35



TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	55mm/pcs



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING




100% RECYCLABLE



CORROSION RESISTANCE



SD 36



- TYPE :** Bracket with Cover System

- USE :** Indoor & Outdoor

- MOUNT :** Side

- MATERIAL :** Aluminium Alloy 6063 - T6

- GLASS HEIGHT :** 1100mm (max)

- GLASS THICKNESS :** 12mm, 13.52mm

- FINISH :** Powder Coat | Wood Coat

- LENGTH :** 12ft | 16ft

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF


 CORROSION RESISTANCE





SD 37



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft

-  EASY INSTALLATION
-  EASY CLEANING


-  MAINTENANCE FREE
-  100% RECYCLABLE

-  WEATHER PROOF
-  CORROSION RESISTANCE


HANDRAIL & ACCESSORIES




HR-01 (50X50mm Square Lite)




HR-02 (40X40mm Square)



HR-03 (25X25mm)




HR-04 (50mm Round)




HANDRAIL & ACCESSORIES




HR-06 (65X38mm)




HR-07 (50X50mm LED Diffuser)



HR-08 (41X36mm)




HR-09 (82X38mm)




HANDRAIL & ACCESSORIES




HR-10 (50X50mm Heavy)




HR-12 (71X35mm)



HR-13 (71x35mm LED)




HR-17 (40X35mm)




HANDRAIL & ACCESSORIES




HR-18 (65X40mm)




HR-19 (60X40mm)



HR-21 (45X45mm)LED



HR-22 (46X40mm)



FINISHES

AVAILABLE FINISHES



C-5



US-1103



US-1107



SILVER

WE CAN MAKE FINISHES AS PER REQUIREMENTS



US-017



US-010




US-023



US-222



US-777



US-1111



US-555



US-1106

BRAND WE USE IN FASTENER

STRONG FOR GENERATIONS

KLIMAS

FASTENER TECHNOLOGIES



Frame plug with TX head screw (polyamide sleeve)

KPS-FAST S / KPR-FAST K

RELIABLE AND SECURE

PA
100% NYLON

FASTENING



SUBSTRATES (ETAG 020 ABCCD)



A
Cracked concrete -
non-structural,
multi-point fastening



B
Solid clay brick,
Solid calcium
silicate brick



C
Hollow or
perforated
clay brick



C
Calcium
silicate hollow
block



D
AAC
block

AVAILABLE ANCHOR LENGTH:

8 x 80mm

8 x 100mm

8 x 120mm

10 x 80mm

10 x 100mm

10 x 120mm

10 x 140mm

10 x 160mm

ZINC FLAKE COATING

Zinc flake coating offers two times better corrosion resistance compared



EUROPEAN TECHNICAL
ASSESSMENT ETA-12/0272



BALUSTRADE
PRIVATE LIMITED

Address: Beside Mars Soil, Testing Laboratory,
Kumbarwas, Nr. Vandematram Railway Crossing,
Gota, 382481-Ahmedabad.

Dubai Office : Doorwin Trading LLC,
Office No. 2105-2108, 26, AL Ekhtyar AL Mumayz
Business Center, Iris Bay Tower, Happiness Street,
Opp. JW Marriott Hotel, Business Bay, Dubai,
UAE Po Box : 78704
Contact: +971 56 716 4522

E-mail: sales@skydecks.in | **Website:** www.skydecks.in | **Contact:** +91-9979929622

Follow us on: [f](#) [@](#) [▶](#)