




Exceeding The Limits To Always Get The Best



1200x2400MM



## CONNECTING THE VALUE OF SLAB



Legacy

Elevating classic style for today's Homeowner.

New Lifestyle

Leading edge design and innovation.

Heritage

Modernist





CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.

# PRODUCT Formats



The thicknesses are one of the most important elements characterizing.

15 mm is set aside for the most demanding product applications such as kitchen countertops.

# EDGE Profiles




Double straight rounded edge



Rounded straight edge




Half bullnose




Full bullnose




Demi bullnose




Micro bevel




Straight squared edge



Double straight squared edge



Rounded edge at 45°



Squared edge at 45°

Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm it is possible to shape its edges in different styles and create aesthetically rich countertops for your space.

## JOINT POSSIBILITIES



Birds beak



45° corner



Soft corner



White



Black



Grey



Ivory



Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of  
The Residential Kitchen


Elevating Classic Style  
for Today's Homeowner

Leading Edge Design  
and Innovation

# PRODUCT Range



BLUE PEARL



Gold Black



ACHROMIC GREY



Emperador Grey



William Grey



Bluetee



Bressia Oniciata



Trani Fiorito



Arabescato Gold



Gris Moncervetto



Patagonia Bianco



VENETINO



Black Fusion



Marine Black



Bagnara



Sary Gris



Antresit Beige



Bottochino Venato



Marfil Valencia



Apuane Statuario



Bianco Carrara



Mont Blanc



Statuario Pearl



Jet Black



Forest Green



Salina Blanco



Baxter



Strome Root



Bianco Perlino



Breccia Aurora




Rocersa Imperiale



Antresit Bianco



Calcatta Ultra



Pearl White



Statuario Delicato



Royal Quartzite

# PRODUCT Finishes

## GLOSSY

Glossy is an optical property which indicates how well a surface reflects light in a specular (mirror-like) direction.



## APPLICATION Areas

KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE



STAIRCASE



OFFICE TABLE



TABLE TOP



DOOR \ WINDOW  
FRAME



## TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH  
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE



HYGIENIC



RESISTANT TO UV RAYS






**BLUE PEARL**

**BODY**  
**BLACK BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



# **BLACK FUSION**

**BODY**  
**BLACK BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**FOREST GREEN**

**BODY**  
**BLACK BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**GOLD BLACK**

**BODY**  
**BLACK BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**MARINE BLACK**

**BODY**  
**BLACK BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**SALINA BLANCO**

**BODY**  
**BLACK BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**ACHROMIC GREY**

**BODY**  
**GREY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**BAGNARA**

**BODY**  
**GREY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**




**BAXTER**

**BODY**  
**GREY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**EMPERADOR GREY**

**BODY**  
**GREY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**SARY GRIS**

**BODY**  
**GREY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



# STROME ROOT

BODY  
GREY BODY

FINISH  
GLOSSY

SIZE  
1200x2400 MM

THICKNESS  
15 MM



**WILLIAM GREY**

**BODY**  
**GREY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**ANTRESIT BEIGE**

**BODY**  
**IVORY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**




**BIANCO PERLINO**

**BODY**  
**IVORY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**BLUETEE**

**BODY**  
**IVORY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**BOTTOCHINO VENATO**

**BODY**  
**IVORY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**BRECCIA AURORA**

**BODY**  
**IVORY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**BRESSIA ONICIATA**

**BODY**  
**IVORY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



# MARFIL VALENCIA

BODY  
IVORY BODY

FINISH  
GLOSSY

SIZE  
1200x2400 MM

THICKNESS  
15 MM



**ROCERSA IMPERIALE**

**BODY**  
**IVORY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**TRANI FIORITO**

**BODY**  
**IVORY BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



# APUANE STATUARIO

BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
1200x2400 MM

THICKNESS  
15 MM



**ANTRESIT BIANCO**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**ARABESCATO GOLD**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**BIANCO CARRARA**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



# CALCATTÀ ULTRA

BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
1200x2400 MM

THICKNESS  
15 MM



**GRIS MONCERVETTO**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**




**MONT BLANC**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**PEARL WHITE**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**PATAGONIA BIANCO**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**SATUARIO PEARL**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**




**STATUARIO DELICATO**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**VENETINO**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**




**JET BLACK**

**BODY**  
**FULL BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**



**ROYAL QUARTZITE**

**BODY**  
**FULL BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**1200x2400 MM**

**THICKNESS**  
**15 MM**

## Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

| TYPE OF STAIN | CHEMICAL PRODUCT   | EXAMPLE                                    |
|---------------|--------------------|--|
| Grease        | Alkaline - Solvent | Detergent                                  |
| Oil           | Solvent            | Ammonia, Backing Soda                      |
| Ink           | Oxidant - Solvent  | Alcohol, Liquid Bleach, Nail Paint Remover |
| Rust          | Acid               | Hydrochloric Acid, Vinegar, Red Harpic     |
| Lime          | Acid               | Descaling Reagent, Hydro Chloric Acid      |
| Cement        | Acid               | Hydro Chloric Acid                         |
| Wine          | Alkaline           | Ammonia, Liquid Bleach                     |
| Coffee        | Alkaline - Solvent | Ammonia, Liquid Bleach                     |
| Rubber        | Solvent            | Alcohol, Thinner                           |
| Plaster       | Acid               | Hydro Chloric Acid                         |
| Candle Wax    | Solvent            | Alcohol, Thinner                           |
| Iodine        | Oxidant            | Liquid Bleach                              |
| Blood         | Oxidant            | Liquid Bleach                              |
| Ice Cream     | Alkaline           | Liquid Bleach                              |

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

## Technical Specification

| CHARACTERISTIC   | STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla | MEAN VALUE   | TEST METHOD     |
|--|---|--|-----------------|
| <b>Regulatory Properties</b>                                   |   |  |                 |
| Deviation in Length and Width                                  | ± 0.30 % (±1.00mm)                            | ± 0.10 %   | ISO 10545-2     |
| Deviation in Thickness   | ± 5.00 % (±0.50mm)                            | ± 5.00 %   | ISO 10545-2     |
| Straightness in Side   | ± 0.30 % (±0.80mm)                            | ± 0.10 %   | ISO 10545-2     |
| Rectangularity   | ± 0.30 % (±1.50mm)                            | ± 0.10%  | ISO 10545-2     |
| Surface Flatness Central Curvature                             | ± 0.40 % (±1.80mm)                            | ± 0.50 %   | ISO 10545-2     |
| Surface Flatness Edge Curvature                                | ± 0.40 % (±1.80mm)                            | ± 0.50 %   | ISO 10545-2     |
| Surface Flatness Warpage                                       | ± 0.40 % (±1.80mm)                            | ± 0.50 %   | ISO 10545-2     |
| Surface Quality  | > 95% defects free                            | > 95% defects free   | ISO 10545-2     |
| Small Color Difference(for Plain Colour)                       | ΔE < 1.00                                     | ΔE < 0.30  | ISO 10545-16    |
| Glossiness ( Polished)   | as per mfg.                                   | Gloss Value> 90  | Gloss Meter 60° |
| Glossiness (Matt)  | as per mfg.                                   | 3 <Gloss Value<7   | Gloss Meter 60° |
| Glossiness (Satin/Posh)  | as per mfg.                                   | 7<Gloss Value<18   | Gloss Meter 60° |
| <b>Structural Properties</b>                                   |   |  |                 |
| Water absorption   | ≤ 0.50 %                                      | ≤ 0.060 %  | ISO 10545-3     |
| Bulk density   | as per mfg.                                   | Min. 2.28 g/cc   | ISO 10545-3     |
| <b>Massive Mechanical Properties</b>                           |   |  |                 |
| Modulus of rupture   | Min. 35.0 N/mm <sup>2</sup>                   | Min. 42.0 N/mm <sup>2</sup>                                | ISO 10545-4     |
| Breaking strength thickness <7.5                               | Min. 700.0 N                                  | Min. 1000.0 N  | ISO 10545-4     |
| Breaking strength thickness ≥7.5                               | Min. 1300.0 N                                 | Min. 1800.0 N  | ISO 10545-4     |
| Breaking strength thickness ≥7.5mm)                            | Min. 1300.0 N                                 | Min. 7500.0 N  | ISO 10545-4     |
| <b>Surface Mechanical Properties</b>                           |   |  |                 |
| MOH'S hardness #   | as per mfg.                                   | Glossy Min. 4*/ Posh Min. 6                                | BS EN 15771     |
| Surface abrasion resistance #                                  | as per mfg.                                   | Glossy Min. 2/ Posh Min. 3                                 | ISO 10545-7     |
| Deep abrasion resistance #                                     | Max. 175m <sup>3</sup> m                      | Max. 132m <sup>3</sup> m                                   | ISO 10545-6     |
| <b>Thermal Hydrometric Properties</b>                          |   |  |                 |
| Moisture expansion   | Max. 0.06%(0.6mm/m)                           | Max. 0.02mm/m  | ISO 10545-10    |
| Thermal expansion(COE) at 100°C                                | as per mfg.                                   | Max. 6.0 x 10 <sup>-6</sup>                                | ISO 10545-8     |
| Thermal shock resistance                                       | Min. 10 Cycle                                 | Min. 10 Cycle  | ISO 10545-9     |
| Impact resistance(COR) #                                       | Min. 0.55                                     | Min. 0.55  | ISO 10545-5     |
| Frost resistance   | as per mfg.                                   | Frost Proof  | ISO 10545-12    |
| <b>Chemical Properties</b>                                     |   |  |                 |
| Resistance to staining glazed                                  | Min. Class 3                                  | Min. Class 4   | ISO 10545-14    |
| Resistance to household chemicals & swimming pool salts glazed | Min. Class GB                                 | Min. Class GA  | ISO 10545-13    |
| Resistance to low concentrate acid and alkalis glazed          | as per mfg.                                   | Min. Class GLB**   | ISO 10545-13    |
| Resistance to high concentrate acid and alkalis glazed         | as per mfg.                                   | Min. Class GHB**   | ISO 10545-13    |
| <b>Safety Properties</b>                                       |   |  |                 |
| Skid resistance(DCOF-DRY) ##                                   | as per mfg.                                   | Glossy P0(< <sup>12</sup> ) / Posh ≥P1( <sup>12-24</sup> ) | BS 7976-2       |
| Slip resistance(DCOF)( R value) ##                             | as per mfg.                                   | R9 to R <sup>13</sup>                                      | DIN 51130       |
| Fire resistance  | as per mfg.                                   | Fire Proof   | N.A.            |

\* With Nano polished  
 \*\* Except Hydrofluoric Acid & it's compound  
 # Tiles Intended for use on floor  
 ## As per customer requirement

## Packing Details

| PRODUCT       | BODY       | SIZE        | THICKNESS | TILES / BOX | COVERAGE AREA / BOX | WEIGHT (Kg)      |
|---------------|------------|-------------|-----------|-------------|---------------------|------------------|
| Glossy        | Color Body | 1200x2400mm | 15mm      | 1pc         | 31 Sq ft            | 98 to 100 Approx |
| Glossy & Matt | Full Body  | 1200x2400mm | 15mm      | 1pc         | 31 Sq ft            | 98 to 100 Approx |