



OUR PRODUCTS

DOMESTIC



- ✓ EWA Wonder
- ✓ EWA Wonder Plus
- ✓ EWA ARC RO
- ✓ EWA RO
- ✓ EWA ARC
- ✓ EWA Hot & Cold
- ✓ EWA Magic
- ✓ EWA Express
- ✓ EWA Intelligent





EWA WONDER



Best suited for mounting on the kitchen wall



Purification by RO+UF+UV+TASTE Control



High purification capacity of 15 Ltr/Hr



Elegant design & Transparent cover



High capacity storage tank with purified water level indicator



TECHNICAL SPECIFICATIONS

- Max. Duty Cycle 300 Litres / Day
- Max. Inlet Water Pressure 3 KG/CM²
- Dimension L-426 x W-245 x H-580(mm)
- Min. Inlet Water Pressure 0.3 KG/CM²
- Input Voltage 24V DC
- Net Weight 9.00kgs

FILTER CARTRIDGES

- Sediment Filter
- UF Membrane
- UV Lamp Power 11 Watt
- Activated Carbon
- Post Activated Carbon
- RO Membrane





EWA WONDER PLUS



Best suited for under sink



Purification by
RO+UF+UV+TASTE Control



High purification capacity of
15 Ltr/Hr



High capacity storage tank with
purified water level indicator



Elegant design & Transparant
cover



TECHNICAL SPECIFICATIONS

- Max. Duty Cycle 300 Litres / Day
- Min. Inlet Water Pressure 0.3 KG/CM²
- Max. Inlet Water Pressure 3 KG/CM²
- Input Voltage 24V DC
- Dimension L-426 x W-245 x H-580(mm)
- Net Weight 9.00kgs
- Tank Storage 13 Litres

FILTER CARTRIDGES

- Sediment Filter
- Activated Carboun
- Post Activated Carbon
- RO Membrane
- UF Membrane
- UV Lamp Power 11 Watt
- Taste Controller





EWA ARC RO



Best suited for mounting on the kitchen wall



Purification by RO+UF+UV+TASTE Control



High purification capacity of 15 Ltr/Hr



High capacity storage tank with purified water level indicator



Elegant design & Transarant cover



TECHNICAL SPECIFICATIONS

- Max. Duty Cycle 300 Litres / Day
- Min. Inlet Water Pressure 0.3 KG/CM²
- Max. Inlet Water Pressure 3 KG/CM²
- Input Voltage 24V DC
- Dimension L-426 x W-245 x H-580(mm)
- Net Weight 9.00kgs

FILTER CARTRIDGES

- Sediment Filter
- Activated Carboun
- Post Activated Carbon
- RO Membrane
- UF Membrane
- UV Lamp Power 11 Watt





EWA RO



Design to Fit Under the
Kitchen Sink



RO Water Purification System



Enhanced Booster Pump



Enhanced Protection



TECHNICAL SPECIFICATIONS

- Power Range 36 Watt
- Input Voltage 100-300v AC(500Hz)
- Tank capacity 12-14 Litres
- Dimension L-365x H-580(MM)
- Net Weight 14.50 kgs

FILTER CARTRIDGES

- Polypropylene Filter, UV Filter
- Yarn Filter, UF Membrane
- Carbon Filter, RO Membrane
- Post Activated Carbon Filter





EWA ARC



Best suited for mounting on the kitchen wall



Purification by RO+UF+UV+TASTE Control



High purification capacity of 60 Ltr/Hr



9 Liters Storage capacity



Elegant design & Transarant cover



TECHNICAL SPECIFICATIONS

- Max. Duty Cycle 300 Litres / Day
- Min. Inlet Water Pressure 0.3 KG/CM²
- Max. Inlet Water Pressure 3 KG/CM²
- Input Voltage 24V DC
- Dimension L-426 x W-245 x H-580(mm)
- Net Weight 9.00kgs

FILTER CARTRIDGES

- Sediment Filter
- Activated Carbon
- UF Membrane
- UV Lamp Power 11 Watt





EWA HOT & COLD



Best suited for Counter Top



Purification by UF Technology



Hot & Cold Temperature Tank



Water Purification &
Temperature Control Dispenser



TECHNICAL SPECIFICATIONS

- Max. Duty Cycle 720 Litres / Day
- Purification Capacity 60 Ltr/Min
- Capacity 3 Liters / Minute
- Water Flow (Cold 2 Ltr , Hot 1.8 Ltr)
- Tank Capacity (Cold 3 Ltr , Hot 2 Ltr)
- Anti-Bacterial Stainless Water Tank

FILTER CARTRIDGES

- Sediment Filter
- Activated Carbon Filter
- Particulate Carbon Filter
- UF Filter





EWA MAGIC



Best suited for placement under the counter or on kitchen wall



Purification by UF Technology



High purification capacity



Suitable for water cooler & vending machine



Elegant Design



TECHNICAL SPECIFICATIONS

- Max. Duty Cycle 720 Litres / Day
- Min. Inlet Water Pressure 0.3 KG/CM²
- Max. Inlet Water Pressure 3 KG/CM²
- Manual Flashing
- Net Weight 5.00 Kgs

FILTER CARTRIDGES

- Sediment Filter
- Activated Carbon
- UF Membrane





EWA EXPRESS



Best suited for mounting on the wall



Purification by RO+UF+UV technology



High purification capacity of 15 Ltr/Hr



High capacity storage tank with purified water level indicator



Elegant design & Transarant cover



TECHNICAL SPECIFICATIONS

- Min. Inlet Water Pressure 0.3 KG/CM²
- Max. Inlet Water Pressure 3 KG/CM²
- Input Voltage 24V DC
- Dimension L-426 x W-245 x H-580(mm)
- Net Weight 9.00kgs

FILTER CARTRIDGES

- Sediment Filter
- Activated Carboun
- Post Activated Carbon
- RO Membrane
- UV Lamp Power 11 Watt





EWA INTELLIGENT



TECHNICAL SPECIFICATIONS

- Max. Duty Cycle 300 Liters/Day
- Min. Intel Water Pressure 0.3 kg/cm²
- Max. Inlet Water Pressure 0.3 kg/cm²
- Input Voltage 100-300v AC(50Hz)
- Operating Voltage 24V DC
- Dimension L-26 x W-40 x H-40
- Net Weight 9.5 Kg
- Tank Storage 13 Liters

FILTER CARTRIDGES

- Sediment Filter
- Activated Carboun
- Post Activated Carbon
- RO Membrane
- UF Membrane
- UV Lamp Power 11 Watt
- Taste Controller





OUR PRODUCTS

INDUSTRIAL



- ✓ Eureka RO 400 GPD
- ✓ EUREKA 800 G.P.D
- ✓ EUREKA 1500 G.P.D
- ✓ EUREKA COOLER
RO
- ✓ Eureka Jumbo with
UV





EUREKA RO 400 GPD



RO Water purifier system



Designed for industrial usage



Enhanced boosted pump



Enhanced protection



TECHNICAL SPECIFICATIONS

- Capacity: 400 gallons per day (60 liters per hour)
- Filtration stage: Six
- Tank capacity: 11 gallons
- Boosted pump: 4 pcs. (max pressure 130psi, max temp 100 F).
- Taste: TDS controller
- Related voltage: 230V AC, 50 HZ
- Power rating: 40 Watts

FILTER CARTRIDGES

- Yarn Filter
- Carbon filter
- RO Membrane 2pcs.
- POST activated carbon Filter
- UF Membrane
- UV Filter





EUREKA 800 GPD



RO Water purifier system



Designed for industrial usage



Enhanced boosted pump



Enhanced protection



TECHNICAL SPECIFICATIONS

- Capacity: 800 gallons per day (30 liters per hour)
- Filtration stage: Six
- Tank capacity: 11 gallons
- Boosted pump: 2 pcs. (max pressure 130psi, max temp 100 F).
- Taste: TDS controller
- Related voltage: 230V AC, 50 HZ
- Power rating: 40 Watts

FILTER CARTRIDGES

- Yarn Filter
- Carbon filter
- RO Membrane 2pcs.
- POST activated carbon Filter
- UF Membrane
- UV Filter





EUREKA 1500 GPD



RO Water purifier system



Designed for industrial usage



Enhanced boosted pump



Enhanced protection



TECHNICAL SPECIFICATIONS

- Capacity: 1500 gallons per day (30 liters per hour)
- Filtration stage: Six
- Tank capacity: 11 gallons
- Boosted pump: 2 pcs. (max pressure 130psi, max temp 100 F).
- Taste: TDS controller
- Related voltage: 230V AC, 50 HZ
- Power rating: 40 Watts

FILTER CARTRIDGES

- Yarn Filter
- Carbon filter
- RO Membrane 2pcs.
- POST activated carbon Filter
- UF Membrane
- UV Filter





EUREKA COOLER RO



Floor Standing Water
Dispenser



5 Stage RO System



Suitable for Schools, Lobby,
Offices



FEATURES & SPECIFICATIONS

- Outstanding Zinc Body
- Arch Outline, Elegant And Beautiful
- Durable, Water Proof & Sunlight Proof, Remains New After Years
- There Are Flections at The Front of Flume to Avoid Hurting People
- Hot Water Protection Device
- Hot Tank: 5 Liters
- Cold Tank: 10 Liters
- 5 Stage RO System
- UV System (Option)
- Size: 43 x 56 x 133cm
- Hot / Warm / Cold Tri Temperature





EUREKA JUMBO WITH UV



Floor Standing Water
Dispenser



5 Stage RO System



Suitable for Schools, Lobby,
Offices



TECHNICAL SPECIFICATIONS

- Dual Filtration With 12GPM UV Sterilizer
- Provide 250-3000LPH Sterilized Water
- Safe And Chemical Free
- UV Lamp Provides Consistent UV Output Over 9000 Hrs
- Electronic Ballast Visually Displays UV Function
- Accumulated Timer Up To 99999Hrs

