




PHOENIX
SHUTTERS &
ARCHITECTURAL PRODUCTS



ROLLING SHUTTERS AND GATES



ALUMINIUM ROLLING SHUTTER

The aluminium shutter is popular in Mumbai and coastal areas because it doesn't rust at all. It is more expensive than your galvanised steel shutter and can be difficult to repair if damaged; but overall it is the premium choice for discerning buyers. The slats are available in both single wall and double wall designs.

GALVANISED IRON (GI) SHUTTER

The most common type of shutter is made from galvanised iron slitted coils. The width of the slat varies from 3 inch to 5 inch and the thickness has a range of 0.6 to 1.2 mm.



MS ROLLING GRILL

The rolling grill is popular in malls and places that require ventilation and visibility like a pump house or electric meter room. There are 2 basic designs in either rectangular or hexagonal patterns made with solid MS bars from 8 – 10 mm thick.



WROUGHT IRON GATES

Wrought iron gates are fabricated using solid square or round bars or flats of a common material in the market called mild steel or MS. They can incorporate decorative / ornamental fixtures which are made of cast iron such as arrows, baskets, finials etc. Sometimes the outer frame of the gate is fabricated using a hollow pipe to save on costs.

CAST IRON GATES

Gates made from cast iron can have an outer frame made from hollow MS sections or solid bars. The cast iron elements have to be integrated inside the design as per the size and kind of gate. Cast Iron is usually heavy in weight and brittle compared to mild steel; however there are a wide range of designs available.



STAINLESS STEEL GATES

Stainless Steel Gates are fabricated using grade 304 or 316 which doesn't rust. They can be buffed to a matte or glossy finish. The material cost is about 4 times that of regular mild steel, so the design is usually kept lightweight and hollow sections are preferred. The hardware fittings such as the aldorp and tower bolt are also made in SS.



KITCHEN SHUTTER

Aluminium rolling shutter made with 45 mm double wall slats with nylon end clips, automated using a tubular motor. Requires headroom of 180 x 180 mm and 75 mm on both sides. Possible in a single length up to 6 mtr wide.

WINDOW SHUTTER

Can be installed either outside or inside the window. Provides security along with protection from dust and noise. Durable aluminium slats ensure long-lasting, rust-free performance and can be powder-coated in any preferred colour.



FIRE RATED STEEL DOOR

Available in both standard and custom sizes. Fast delivery timelines. Standard specifications for fire rating of 2 hours and 4 hours.



CANOPY / ROOFING

Made as per design with a range of materials and finishes to match all budgets.
Assembled or fabricated at site.



BOOM BARRIER

We deal in boom barriers which come in lengths of 4 – 6 mtr wide, and can be configured to work with RFID readers for fully automatic operation.

PROJECTS



Motorised sliding gate installed at Badlapur




Rolling Shutters installed at Ajanta Apartments, Santacruz



Sliding Gates installed at MIDC, Tarapur



Swing Gate installed at Khandala with wood cladding



Wrought iron gates installed at a sports club



HMPS doors installed at Ambarnath MIDC



PHOENIX
SHUTTERS &
ARCHITECTURAL PRODUCTS

Sussex Industrial Estate, Gala Number B-106, 1st floor, Keshavrao Borker Marg,
Off Dadoji Konddev Marg, Byculla (East), Mumbai - 400027

Mobile: 9920625859

Email: phoenixshutters.mumbai@gmail.com | www.phoenixshuttersmumbai.com

