






SAUC

MINIMAL SYSTEMS PVT LTD



S y s t e m s

S A U C 3 4 S y s t e m



S A U C 3 2 S y s t e m

Our products are designed by our internal research and development team and backed by expert service and supports.



Anodize-powder coating
pvdf-wood effect possible
anti bacterial powder Coating

2-3-4
track
possible

Glass thickness
34mm can be combine
with lamination glass

Various
locking option
possible

Motorise
option
possible

Test report by
international
agency

POSSIBILITIES

When choosing such an important aspect of your space it is best to know of all the options available and to then opt for the best match customised to your specific needs and sensibilities



Fusion



Vertical Slide



Curve Sliding



Pivote Door



Inline Glazing



Corner Post
Free



Bullet Proof
Glass



System Glass
Balustrade



Additional Drainage
Chamber




Wheel Chair
Access



In Track


INSECT SCREEN






LATENT INSIDE

Our clever design enables us to create a clean look hiding all mechanisms towards the inside.



LATENT INSIDE & OUTSIDE


Concealed on either sides, windows that offer a complete seamless look of minimalist sophistication.






FUSION

Specializing in custom installation of door and windows that are durable as well as offering incredible views.



RAILING

If paired with a set of railing can make your windows much more safe and functional.



TECHNICAL INFORMATION

	SAUC_12	SAUC_32	SAUC_34	SAUC_44	SAUC_54	SAUC_64
INSULATION TYPE	Non Insulated	Non Insulated	Insulated	Insulated	Insulated	Insulated
Facing Width	14 mm	17 mm	17 mm	17 mm	17 mm	17 mm
Installation flush to floor inside	yes	yes	yes	yes	yes	yes
Installation flush to floor both side	no	no	yes	yes	yes	yes
Max leaf height	3 meter	3 meter	4.5 meter	6 meter	8 meter	8 meter
Max leaf width	2 meter	3.5 meter	3.2 meter	3.2 meter	3.2 meter	3.2 meter
Max leaf sq.mtr	5 sq.mtr	6 sq.mtr	12 sq.mtr	18 sq.mtr	18 sq.mtr	18 sq.mtr
Glass thickness	12 mm	32 mm	34 mm	44 mm	54 mm	64 mm
Locking	multipoint	multipoint	multipoint	multipoint	multipoint	multipoint
e_Lock	no	no	yes	yes	yes	yes
e_drive	no	no	yes	yes	yes	yes
Home automation	no	no	possible	possible	possible	possible
Max leaf weight	250kg	350kg	350kg	500kg	2000kg	2000kg


PORTER POSSIBILITY

	SAUC_12	SAUC_32	SAUC_34	SAUC_44	SAUC_54	SAUC_64
Air	300pa	300pa	390pa	Up to 690pa	Up to 690pa	Up to 690pa
Uw	Up to 5 W/m2K	Up to 3.2 W/m2K	Up to 2 W/m2K	Up to 0.7 W/m2K	Up to 0.6 W/m2K	Up to 0.5 W/m2K
Resistance to rain	EN_12208	EN_12208	EN_12208	EN_12208	EN_12208	EN_12208
Resistance to wind	EN_12210	EN_12210	EN_12210	EN_12210	EN_12210	EN_12210
Resistance to burglary	RC-3	RC-3	RC-4	RC-5	RC-5	RC-5
Sound insulation	20 db	24 db	40 db	42 db	44 db	49 db

LOCKING VARIANTS


Locks are known to provide security and functionality to our doors and windows. Specially in case of Aluminium doors and windows.

Electo Drop Bolt Lock | Up Down Lock | Key Lock (cylinder) | Self Lock | 180 Lock



TYPOLOGIES

Our products are designed by our internal research and development team and backed by expert service and supports.



Distributer



AL FANOUS

www.saucsystems.com

CANADA

SAUC SYSTEMS

3702-81 NAVY WHARF
COURT TORONTO,
Canada

canada@saucsystems.com
+16479962391

USA

SAUC USA INC.

13936
Arthur Ave Paramount,
Ca 90723

usa@saucsystems.com
+1 (833) 7282872

UAE

**SAUC MINIMAL
SYSTEMS FZ LLC,**

Plot 4183, Sector 7,
EIC, Al Saja'a, Sharjah
U.A.E.

gcc@saucsystems.com
+971502917451

INDIA.

**SAUC MINIMAL
SYSTEMS PVT LTD.**

Plot no - 9,
RK industrial zone - 1, Phase -2
Kuvadava, Rajkot Ahmedabad
highway Rajkot.

india@saucsystems.com

SOUTH AFRICA

SAUC SYSTEMS PTY LTD.

318 Himalaya street,
Ext-2, Laudium-0037
Centurion-Gauteng South Africa

southafrica@saucsystems.com

Also available with our partners @ Spain, UK. Thailand, Bahrain, China, Australia, Brazil & Mexico.