



**INNOVATIVE**  
FLOORS

# **INNOVATIVE** FLOORS

## **VERSATILE AND DURABLE SURFACE SOLUTIONS.**

Our floors are designed to withstand stain and scratches while also being fire retardant, easy to clean and 100% waterproof. Additionally they are environment friendly as they can be easily recycled.

---





Experience unmatched comfort and quietness as our SPC Flooring is designed to reduce noise, reating a peaceful ambiance in your home. Along with that, It has many qualities like being water proof, low maintenance, kid-friendly, family friendly, and quick to install.

So, Don't compromise on quality – choose our SPC Flooring for the best quality at the best price at Our.




# VARIETIES

of colors

Rigid core flooring from Our, blends the beauty of wood with the sturdiness of stone. We provide an array of SPC Flooring alternatives to make your space distinctive. Despite being adaptable and durable, our flooring follows a methodology that takes into account specific placement and space constraints. Inspired by the true nature of Earthy hues and textures, each of these is inventively manufactured and has a unique characteristic which makes it perfect for a variety of applications.

# PRODUCT Structure



## 01 UV Coating

It is the topmost layer of our SPC floors. A UV-cured coating is applied to the surface of the flooring and hardened using UV light. This layer provides added protection against fading, or discoloration caused by exposure to sunlight. This layer also renders a stain-free quality and is responsible for the matt finish.

## 02 Wear Layer

on SPC floors is a clear, protective layer that is applied on top of the design layer. it is made of a durable material that helps to resist scratches and wear from foot traffic. This layer is important because it helps to prolong the life of the flooring and keep it looking new for longer

## 03 PVC Decorative Layer

The decor film layer on SPC (Stone Polymer Composite) floors is a thin, printed layer that is applied on top of the core layer. The decor film layer is important because it gives the flooring its aesthetic appeal, allowing it to mimic the look of natural wood or other materials while providing the durability and resistance of spc.

## 04 SPC Board

The core layer of the floors is the main structural layer made from a mixture of polymer Resin and Natural stone compotion ,which gives it strength and stability and also contributes to its waterproof property. The SPC core layer is also dense and stable, it makes the SPC flooring much more durable and resistant to wear and tear compared to traditional vinyl flooring.

## 05 Locking Technology

This Unique Feature Makes the SPC floors so easy to install and DIY-friendly. At KEO Surface our floors have a patented locking mechanism (Unilin) which allows a floating installation and keeps the floors attached more effectively. This layer also ensures that no adhesives or materials are required for installation.


## 06 Underlayment

This layer contributes to additional cushioning stability and sound insulation for the flooring. It is typically made of high-density IXPE or EVA attached beneath the Core.





## PRODUCT SIZES



Minimum Thickness ( 5 mm )

Maximum Thickness ( 7.5 mm )

**LUXE**  
COLLECTION



# AVAILABLE COLORS

**LUXE**  
COLLECTION

GOLD OAK

WARM OAK

OAK ELEGANT

CLASSIC OAK

NATURAL OAK

ACACIA BROWN

EUCALYPTUS

VINTAGE OAK

NATURAL WALNUT

DARK PADAUK

ACACIA DARK





GOLD OAK

GOLD OAK




## GOLD OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING

WARM OAK



WARM OAK




## WARM OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING



OAK ELEGANT



OAK ELEGANT




# OAK ELEGANT


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING



CLASSIC OAK



CLASSIC OAK



# CLASSIC OAK

**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING

NATURAL OAK



NATURAL OAK




# NATURAL OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**





STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM




PRO  
DETAILING





ACACIA BROWN

ACACIA BROWN




# ACACIA BROWN


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 
- 181X1220 MM
- 
- 230X1220 MM
- 
- 230X1524 MM



PRO  
DETAILING



**EUCALYPTUS**




EUCALYPTUS

# EUCALYPTUS


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 
- 181X1220 MM
- 
- 230X1220 MM
- 
- 230X1524 MM



PRO  
DETAILING



VINTAGE OAK






VINTAGE OAK

## VINTAGE OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSSED  
WITH UV COATING

**FITTING**





STRAIGHT  
RANDOM




HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING



NATURAL WALNUT



NATURAL WALNUT




# NATURAL WALNUT


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING

**DARK PADAUK**





DARK PADAUK

# DARK PADAUK

**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



**PRO  
DETAILING**





ACACIA DARK

ACACIA DARK




# ACACIA DARK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



**PRIME**  
COLLECTION



# AVAILABLE COLORS

**PRIME**  
COLLECTION

GREY OAK

ASPEN WHITE

MAPLE BEIGE

COLUMBIA BEIGE

BEACHWOOD OAK

PROTO OAK

ALPINE GREY

CHARNWOOD OAK

SANDY OAK

BOSTON NATURAL

BLACKJACK OAK

FANCY OAK

PARKHURST OAK

MAPLE BROWN

RUSTY BROWN

SESSILE OAK

EMORY OAK

DALLAS BROWN

BOSTON GREY

ASH MIX

CHICAGO GRIS

PINE CHARCOAL





GREY OAK




GREY OAK

## GREY OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



**PRO  
DETAILING**



ASPEN WHITE






ASPEN WHITE

## ASPEN WHITE


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



**PRO  
DETAILING**





MAPLE BEIGE

MAPLE BEIGE




## MAPLE BEIGE


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 
- 181X1220 MM
- 
- 230X1220 MM
- 
- 230X1524 MM



**PRO  
DETAILING**



COLUMBIA BEIGIE



COLUMBIA BEIGIE




## COLUMBIA BEIGIE


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



**PRO  
DETAILING**



BEACHWOOD OAK



BEACHWOOD OAK




## BEACHWOOD OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING





PROTO OAK




PROTO OAK

## PROTO OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING





ALPINE GREY

ALPINE GREY




## ALPINE GREY


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 
- 181X1220 MM
- 
- 230X1220 MM
- 
- 230X1524 MM



PRO  
DETAILING



CHARNWOOD OAK



CHARNWOOD OAK




## CHARNWOOD OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSSED  
WITH UV COATING

**FITTING**





STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING





SANDY OAK

SANDY OAK




## SANDY OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING





BOSTON NATURAL

**BOSTON NATURAL**




## BOSTON NATURAL


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING



BLACKJACK OAK



BLACKJACK OAK




## BLACKJACK OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING



FANCY OAK



FANCY OAK




## FANCY OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**





STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 
- 181X1220 MM
- 
- 230X1220 MM
- 
- 230X1524 MM



PRO  
DETAILING



PARKHURST OAK

PARKHURST OAK




## PARKHURST OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING

MAPLE BROWN



MAPLE BROWN




## MAPLE BROWN


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM




HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 
- 181X1220 MM
- 
- 230X1220 MM
- 
- 230X1524 MM



PRO  
DETAILING



RUSTY BROWN






RUSTY BROWN

## RUSTY BROWN


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING



SESSILE OAK






SESSILE OAK

## SESSILE OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING





EMORY OAK

EMORY OAK




## EMORY OAK


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING





DALLAS BROWN




DALLAS BROWN

## DALLAS BROWN


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING





BOSTON GREY




BOSTON GREY

## BOSTON GREY


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING



ASH MIX






ASH MIX

## ASH MIX


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



PRO  
DETAILING



CHICAGO GRIS



CHICAGO GRIS




## CHICAGO GRIS


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



**PRO  
DETAILING**



PINE CHARCOAL



PINE CHARCOAL




## PINE CHARCOAL


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 
- 181X1220 MM
- 
- 230X1220 MM
- 
- 230X1524 MM



PRO  
DETAILING









# INSTALATION


Installation is fast and easy thanks to the unique click lock system. Click Lock Technology works perfectly for both the long and short sides of the flooring panel and ensures there are no unwanted gaps or spaces between floorboards.




Start at a corner, tongue side facing wall, with spacers for an 8-12 mm expansion gap.




Assemble the second row on the subfloor, tilt and push to attach to the first row, then click into place.




Insert the second plank's end tongue into the first plank's end groove at an angle, then click into place.




Begin the next row with the last cut-off piece from the previous row




For the last plank of a row, measure, mark, score, and snap off the required length, then insert.




For heating vents, cut the plank to length, measure and mark areas to cut out, then cut allowing for expansion.



Begin the next row with the last cut-off piece from the previous row.



Trim door frames by placing a plank upside down next to the frame and cutting to the necessary height.



# PACKING DETAILS

## SPC Packing Details - 181x1220 MM

THICKNESS	BOX		PALLET			CONTAINER			
CORE+IXPE	PCS	SQM	BOX	SQM	WT-GROSS	PALLET	BOX	SQM	WT
<b>4+1</b>	<b>10</b>	<b>2.21</b>	<b>75</b>	<b>166</b>	<b>1380</b>	<b>20</b>	<b>1500</b>	<b>3315</b>	<b>27600</b>
<b>5+1.5</b>	<b>08</b>	<b>1.77</b>	<b>75</b>	<b>133</b>	<b>1373</b>	<b>20</b>	<b>1500</b>	<b>2655</b>	<b>26850</b>
<b>6+1.5</b>	<b>07</b>	<b>1.55</b>	<b>75</b>	<b>116</b>	<b>1444</b>	<b>19</b>	<b>1425</b>	<b>2209</b>	<b>27431</b>

**\*\*For Other Sizes And Thicknesses Please Contact Us.**

Discover the unmatched uniqueness and exclusivness with Ouras we don't compromise on quality either it comes to product or packaging. We have varieties of sizes as per our wide range of stunning designs and finishes to protect and maintain there Style.

