

Shree Sadguru Traders

Is a Leading trader that specialize in high quality steel products. located in Pune.

“ **Choosing Excellence, Reliability & Superior Customer Service** ”



Wholesale Dealers of
TMT Bars, HR, MS, CRC,
GP Tubes All Kinds Of
Structural Steel,
Angles, Channels,
Beams, Flats
& All Kinds Of
CC, GC Roofing Sheets.



ABOUT US

Established In The Year **1990** At Pune Maharashtra, India, We **Shree Sadguru Traders** Is A Individual Firm & Acknowledged Among The Noteworthy Wholesale Trader, Distributor And Supplier Of The Best Quality Mild Steel Angle, Mild Steel Pipe, Mild Steel Tube And Mild Steel Plates And Much More.

Purpose

To Be A Leader In The Steel Trading By Providing Enhanced Services, Relationship & Profitability.

Goals

Regional Expansion In The Field Of Trading & Develop A Strong Base Of Key Customers, Increase The Assets & Investments Of The Company To Support The Development Of Services.





VISION

To provide quality services that exceeds the expectations of our esteemed customers.



MISSION

Statement To build long term relationships with our customers and clients and provide exceptional customer service by pursuing business through innovation and advance technology.



**A COMMITMENT TO
EXCEEDING
CUSTOMER
EXPECTATIONS.**

OUR PRODUCTS

M.S.

HRC

Plate | Sheet
Chequerd Plates
Pipes



CP

Plate | Sheet
Pipes



CRC


Plate | Sheet
Pipes



STRUCTURAL STEEL



FLATS



BAR




G.CHANNEL



CHANNEL




BEAM



T.M.T.



RUFFING SHEETS



Z.ANGEL

T.ANGEL

Equal ANGEL

ANGEL




Shree Sadguru Traders

OUR BRANDS



OUR CLIENTS



CONTACT US



Mail ID:

sadgurutraders1234@gmail.com



Phone No:

+91 9689 78 7171/ +91 9822 11 1234



Address:

**Office & Godown : Sr.No.136, Uruli Devachi,
Hadapsar Saswad Rd, Opp.Laxmi Hotel, Tal Haveli. Dist.Pune**

GST No: 27AALPC5198A1ZT

PAN No: AALPC5198A

**Shree Sadguru
Treaders**



Large Dimensions

Dimension L*B MM	Thickness (MM) wise Nominal Weight (Kg/5Mtr.)									
	1.6	2	2.5	3	3.6	4	4.5	5	6	8
72x72	22	27	34	39	48	52	58	62	72	
80x80	26	30	38	44	51	57	63	72	85	
91x91	30	34	43	49	58	66	72	80	94	
100x100	33	38	47	56	64	72	80	90	108	135
113x113		42	52	62	72	80	90	100	115	155
120x120		44	55	65	77	86	96	108	125	
132x132				75		102	115	125	148	190
96x48	22	26	34	39	48	52	58	62	72	
100x50	23	28	35	40	49	53	59	63	75	
100x60		30	38	44	51	57	63	72		
122x61	30	34	43	49	58	66	72	80	94	
125x75	33	38	47	56	64	72	80	90	108	135
145x82		42	52	62	72	80	90	100	115	155
150x50		38	47	56	64	72	80	90	108	135
150x75		42	52	62	72	80	90	100	115	155
150x100		45	67		80	90	100	110	135	8

Larger Dimensions

Dimension L*B MM	Thickness (MM) wise Nominal Weight (Kg/5Mtr.)							
	2.5	3	4	5	6	8	10	12
140x140		76	101	126	151	202	239	290
150x150	68	81	108	135	162	216	267	311
180x180		97	130	162	194	259	308	373
200x200			144	180	216	288	342	414
220x220			158	198	238	317	376	455
250x250			180	225	270	360	428	518
300x300			216	270	324	432	513	621
200x100		81	108	135	162	216	257	311
200x150			126	158	189	252	299	362
220x140			130	162	194	259	309	373
240x120		97	130	162	194	259	309	373
250x150			144	180	216	288	342	414
250x250			180	225	270	360	428	518
300x150			162	203	243	324	385	466
300x200			180	225	270	360	428	518
400x200			216	270	324	432	513	621

*These are part of our regular offering. Size, Dimension, Thickness and Material Specification, other than listed here can be supplied on an order basis which may be subject to a Minimum Order Qty.



Structural Steel

Structural Steel is manufactured by Hot Rolling of MS billets and castings which gives great strength, considerable formability, weldability and offers great economy. Cold Rolled plates are formed further by cold rolling of hot rolled steel which reduces tolerances and increases formability. These products are sourced from reputed Manufacturers and are as per industry standards.

I Beam - ISMB

Dimension L*B	Wt.
MM	Kg/Mtr
100x50 L	5.3
100x50	8
120x65 L	8.3
125x65	13.2
150x75	15.8
175x85	19.5
200x100	25
250x125	38
300x140	48.5
400x140	64.1
450x150	73
500x180	87.7
600x210	122.5

Channel - ISMC

Dimension L*B	Wt.
MM	Kg/Mtr
70x35	3.7
75x40 L	5
75x40 H	5.8
95x45 L	6
100x50 H	9
125x65	13.1
150x75	16.8
175x75	19.6
200x75	22.6
250x85	33.3
300x90	38.3
400x100	50.3

Rounds

Dimension	Wt.
MM	Kg/Mtr
8	0.4
10	0.6
12	0.9
16	1.6
20	2.3
25	4
32	6.3
36	7.5
40	9.9
50	16.3

Square

Dimension	Wt.
MM	Kg/Mtr
8	0.5
9	0.6
10	0.7
12	1.1
16	2.0
20	3.0
25	4.7
32	8.7
40	12.5
50	18.1

Special Sections

Dimension	Wt.
MM	Kg/Mtr
T 60x40	3.6
T 50x50X6	4.8
T 40X40X6	3.5
T 20mm	0.9
T 25mm	1.15
Gale Ch.20	0.6
Mullyam	2.45
Z Angle L	1.25
Z Angle H	1.45

Hot Rolled Plates Wt. Kgs/Piece

Thickness	Dimension MM		
	1250x2500	1250x5000	1500x6300
1.6	40	80	
2	50	104	
2.5	62	125	
3	72	145	225
4	100	200	300
5	125	250	380
6	150	300	450
8	200	400	600
10	250	500	750
12	300	600	900
16	400	800	1200
20	500	1000	1500
25	625	1250	189

Chhequered Plates Wt. Kgs/ Piece

Thickness	Dimension MM	
	1250x2500	1250x5000
3	75	150
4	105	210
5	130	260
6	155	310
8	205	410

G.P. Sheet Wt. Kgs/ Piece

Thickness	Dimension MM	
	8x3	8x4
0.8	13.5	19
0.9	15.2	21.1
1	18.0	25.0
1.2	22.0	30.0
1.5	29.0	35.2

Cold Rolled Sheet Wt. Kgs/ Piece

Thickness	Dimension MM			
	6x3	6x4	8x3	8x4
0.8	10	13.5	13.5	19
0.9	11	15.2	15.2	21.1
1	12.2	16.9	18.0	25.0
1.2	14.6	18.9	22.0	30.0
1.5	18.2	25.3	29.0	35.2

*These are part of our regular offering. Size, Dimension, Thickness and Material Specification, other than listed here can be supplied on an order basis which may be subject to a Minimum Order Qty.

*Above weights are indicative only. Confirm before placing order.

Equal Angle - ISA Wt. Kg / Mtr



Dimension MM	Thickness MM							
	2.5	3	3.6	4	5	6	8	10
20 /22	0.8	0.9						
25	0.9	1.1		1.4	1.8			
30		1.1						
32		1.3						
35		1.5	1.7	2.2	2.6			
40		1.7		2.4	3	3.5		
50				3	3.6	4.5		
65					5.4	5.8	7.7	9.4
75					5.7	6.8	8.9	11
90						8.2	11	14.5
100						10	13.6	18.3

Super Lite Equal Angle



Dimension MM	Wt. Kg Per pc
14	1.5
23	2.0
24	2.3
25	2.5
32	3.3
42	4.5

Flats Wt. Kg / Mtr



Dimension MM	Thickness MM									
	3	4	5	6	8	10	12	16	20	25
12	0.25		0.4							
18		0.7								
20	0.45		0.7							
25			1							
30	0.7		1.2							
32	0.8		1.3	1.5	2.2	2.8				
40	1.1		1.6	1.9	2.5	3.1	3.8	5		7.9
50	1.2		2	2.4	3.1	3.9	4.7	6.3	6.3	9.8
65				3	4	4.9	5.9	8.7	8.7	12.4
75				3.5	4.7	5.9	7.1	10	10	13.0
100				4.7	6.3	7.8	9.4	12.6	12.6	21.8
125				5.9	7.9	9.8	11.8	14.6	14.6	24.6
150				7.2	9.4	11.8	14.1	20	20	29.5

*These are part of our regular offering. Size, Dimension, Thickness and Material Specification, other than listed here can be supplied on an order basis which may be subject to a Minimum Order Qty.

*Above weights are indicative only. Confirm before placing order.

Standards

These Tubes and Hollow Sections are made from Steel which satisfy Indian as well as International Standards. The grade, dimensions, finishes and every other aspect of the product complies with published Indian and International Standards. Products offered comply standards such as IS, ASTM, BSEN, EN, DIN, API and other guiding publications. We at Vijay Steel Traders have a dynamic product portfolio which keeps on evolving and accommodating newer requirements.



Round Tubes - Hot Rolled

NB Series (Nominal Bore)

Nominal Bore			Thickness (MM) wise Nominal Weight (Kg/6Mtr.)														
MM	Inch	MM	0.6	0.8	1	1.2	1.4	1.6	2	2.6	3.2	3.6	4	4.5	5	6	8
15	1/2"	21.3			2.5	3.4	4.2	4.8	5.6	7.5	9						
20	3/4"	26.4		2.8		4.8	5.2	6	8	9.5	11						
25	1"	33.7	3	3.7	4.6	5.5	6.5	7.4	9.5	12	14	17					
32	1.25"	42.4		5	6	7	8.5	9.6	12	15	18	21					
40	1.5"	48.3	4.5	6	7	8.5		12	15	18	20	25					
50	2"	50.3			9.5	11	13	15	18	23	26	32	35	39	43	49	
65	2.5"	76.2				14	16	18	22	28	33	39	43	48	52	60	
80	3"	88.8						22	27	34	39	47	52	57	62	72	
100	4"	114.3						30	34	42	50	58	66	72	80		
125	5"	140							42	52	62	72	80	90	100		
150	6"	165							52	62	76			105	118		
200	8"	219								85	97	115	128	145	160	185	200
250	10"	273													200	240	300
300	12"	323													240	275	366
350	14"	356													285	366	407
400	16"	406															470
500	20"	508															582
600	24"	610															702

Square Hollow Sections and Rectangular Hollow Sections - Hot Rolled



Small Dimensions:

Dimension LxB	Thickness (MM) wise Nominal Weight (Kg/6Mtr.)															
MM	0.6	0.8	1	1.2	1.4	1.6	2	2.2	2.6	3.2	3.6	4	4.5	5	6	
10x10				2.0												
12x12			2.3	2.8	3.3	3.7										
15x15			2.8	3.3	4	4.5										
20x20	2.1	2.9	3.7	4.8		5.8	8	9	10							
25x25	3	3.8	4.5	5.5	6.5	7.4	9	10	12	14	17					
26x13			4	5		6										
30x30			5.5	6.5	7.5	8.5	11		13	16						
30x20				5.5	6.5	7.4	9									
32x32			6	7	8.5	9.5	12		15	18						
38x38		6	7	8.5		12	14	16	17	20	24	27	32			
40x10				5.5	6.5	7.4	9									
40x20				6.5	7.5	8.5	11		13	16						
40x25				7	8.5	9.5	12		15	18						
40x40						12	15	16	18	20	25	28	32			
50x50			10	12		15	18	20	23	26	32	36	39	45	50	
60x60					16	18	22	25	28	32	39	43	48	53	60	
50x10				6.5	7.5	8.5	11		13	16						
50x15				7	8.5	9.5	12									
50x25	5	6	7	8.5		12	14	15	17	20	24					
50x30				9		12	15									
60x30				11		14	17	19	22							
60x40				12		15	18	20	23	26	32	36	39			
66x33				12		15	18	20	23	26	32	36	39			
75x25				12		15	18	20	23	26	32	36	39			
75x35						17	21		27							
75x50						19	23		30							
80x40				14	16	18	22	25	28	32	39	43	48	53	60	
95x25				14	16	18	22		28							

*These are part of our regular offering. Size, Dimension, Thickness and Material Specification, other than listed here can be supplied on an order basis which may be subject to a Minimum Order Qty.